

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	29	(US-6158049-\$ or US-5933643-\$ or US-6477683-\$ or US-6681387-\$ or US-5815720-\$ or US-6415436-\$ or US-6760888-\$ or US-6643630-\$ or US-6598221-\$ or US-6467082-\$ or US-6493868-\$ or US-6219796-\$ or US-6125334-\$ or US-5958061-\$ or US-5911059-\$ or US-5574927-\$ or US-6732256-\$ or US-5557557-\$).did. or (US-20020032804-\$ or US-20010032332-\$ or US-20020066091-\$ or US-20040015931-\$ or US-20020144241-\$ or US-20020066088-\$ or US-20020147969-\$).did. or (US-6158049-\$ or JP-11149380-\$ or EP-689141-\$ or EP-428084-\$).did.	USPAT; US-PGPUB; DERWENT	2004/09/04 13:03
2	5	((US-6158049-\$ or US-5933643-\$ or US-6477683-\$ or US-6681387-\$ or US-5815720-\$ or US-6415436-\$ or US-6760888-\$ or US-6643630-\$ or US-6598221-\$ or US-6467082-\$ or US-6493868-\$ or US-6219796-\$ or US-6125334-\$ or US-5958061-\$ or US-5911059-\$ or US-5574927-\$ or US-6732256-\$ or US-5557557-\$).did. or (US-20020032804-\$ or US-20010032332-\$ or US-20020066091-\$ or US-20040015931-\$ or US-20020144241-\$ or US-20020066088-\$ or US-20020147969-\$).did. or (US-6158049-\$ or JP-11149380-\$ or EP-689141-\$ or EP-428084-\$).did.) and RISC and CISC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/04 13:04
4	3426	((717/105,127,136-138,140,151-152,158,160) or (712/41,203) or (703/22,23) or (706/45)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/04 13:26
6	114	((717/105,127,136-138,140,151-152,158,160) or (712/41,203) or (703/22,23) or (706/45)).CCLS.) and host and target and embedded and optimi\$5 andrecompil\$6 and (profil\$5 same (captur\$3 or obtain\$4 or gather\$4 or stor\$4 or collect\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/04 13:29
7	1	(@ad<=20010928 or @rlad<=20010928) and (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. and (((717/105,127,136-138,140,151-152,158,160) or (712/41,203) or (703/22,23) or (706/45)).CCLS.) and host and target and embedded and optimi\$5 andrecompil\$6 and (profil\$5 same (captur\$3 or obtain\$4 or gather\$4 or stor\$4 or collect\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/04 13:30
-	123	(@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 09:08
-	70	((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 12:32
-	70	((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 13:12
-	178	(execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 12:49

Search History 9/4/04 1:32:26 PM Page 1

-	123	((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/04 13:30
-	10	((@ad<=20010928 or @rlad<=20010928) and (((compiled same execution same optimi\$6) and profil\$3).ab. or ((compiled same execution same optimi\$6) and profil\$3).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 12:52
-	24	((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) and ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 12:52
-	2	(((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) and (recompil\$6 or ((first and second or successiv\$5) near6 (version same compiled))) and (((incremental\$5 or successiv\$6 or iterativ\$6 or repeat\$6) near4 execut\$4) or re-execut\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 13:10
-	6	6158049.URPN.	USPAT	2004/09/02 13:05
-	13	(profil\$3 same optimi\$6).ti. and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 13:12
-	13	((profil\$3 same optimi\$6).ti. and 717/\$) and (@ad<=20010928 or @rlad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 13:52
-	305	((((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and 717/\$)) or (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 13:52

-	21	((((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and 717/\$)) or (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6)) not ((((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and 717/\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 14:33
---	----	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------	---------------------

-	21	((((((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and 717/\$)) or (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6)) not (((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and 717/\$))) and (@ad<=20010928 or @rlad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 14:22
-	4	((((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and 717/\$))) and (@ad<=20010928 or @rlad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 14:23
-	1	(profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded) near3 processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 14:22
-	46	(profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 14:32
-	1	((profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded) near3 processor)) and (@ad<=20010928 or @rlad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 14:23

-	29	((profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same processor)) and (@ad<=20010928 or @rlad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 15:42
-	6	(((((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 (using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and (((profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same processor)) and (@ad<=20010928 or @rlad<=20010928))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:15
-	1	(((((profil\$3 same optimi\$6).ti. and 717/\$) and (@ad<=20010928 or @rlad<=20010928)) and (((host and embedded) same processor) or DSP or (embedded near3 system)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:08

-	7	((compil\$4 and optimi\$6) and (((profile-based or profile-driven) same (DSP or embedded) or (emulat\$4 or simulat\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:18
-	5	((compil\$4 and optimi\$6) and (((profile-based or profile-driven) same (DSP or embedded) or (emulat\$4 or simulat\$4)))) and (@ad<=20010928 or @rlad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:22
-	22	((compil\$4 and optimi\$6) and (((profile-based or profile-driven or profiling) and ((DSP or embedded) same (host and (emulat\$4 or simulat\$4))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 15:42
-	18	((compil\$4 and optimi\$6) and (((profile-based or profile-driven or profiling) and ((DSP or embedded) same (host and (emulat\$4 or simulat\$4)))))) and (@ad<=20010928 or @rlad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 15:42

	<p>21 (((((((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and 717/\$)) or (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6)) not (((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and (@ad<=20010928 or @rlad<=20010928)) not (((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and 717/\$))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/09/02 16:06</p>
--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------	-----------------------------

	1	<pre> ((((((((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and 717/\$)) or (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6)) not ((((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and 717/\$)) or ((((((((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and 717/\$)) or (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6)) not ((((@ad<=20010928 or @rlad<=20010928) and </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:12
Search History	9/4/04 3:26 PM Page 9	<pre> ((((((((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and 717/\$)) or (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6)) not ((((@ad<=20010928 or @rlad<=20010928) and </pre>		

-	23	(profiling same (instrumented or instrumentation)) and (host and (embedded or DSP)) and (simulat\$4 or emulat\$4 or FPGA)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:21
-	4	(((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and ((profiling same (instrumented or instrumentation)) and (host and (embedded or DSP)) and (simulat\$4 or emulat\$4 or FPGA))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:15
-	1460	(compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 09:07
-	30	(profiling same (instrumented or instrumentation)) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:21
-	38	(profil\$4 same (instrumented or instrumentation)) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:21
-	30	((profil\$4 same (instrumented or instrumentation)) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4)))) and (@ad<=20010928 or @rlad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:57
-	6	5933643.URPN.	USPAT	2004/09/02 16:23
-	11	("5613118" "5655122" "5689712" "5704053" "5729726" "5768500" "5768592" "5809450" "5815720" "5832289" "5838976").PN.	USPAT	2004/09/02 16:24
-	30	5815720.URPN.	USPAT	2004/09/02 16:26
-	90	((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and ((embedded adj2 (processor or controller)) or DSP) and (host same target) and (emulat\$4 or simulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:57

-	77	((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and ((embedded adj2 (processor or controller)) or DSP) and (host same target) and (emulat\$4 or simulat\$4)) and (@ad<=20010928 or @rlad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:57
-	13	((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and ((embedded adj2 (processor or controller)) or DSP) and (host same target) and (emulat\$4 or simulat\$4)) and (@ad<=20010928 or @rlad<=20010928)) and (optimi\$4 or compil\$4 or simulat\$4 or embedded or emulat\$4).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:59
-	13	(((((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and ((embedded adj2 (processor or controller)) or DSP) and (host same target) and (emulat\$4 or simulat\$4)) and (@ad<=20010928 or @rlad<=20010928)) and (optimi\$4 or compil\$4 or simulat\$4 or embedded or emulat\$4).ab.) not Bowman.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:59
-	4	("5535393" "5862383" "5933641" "5966143").PN.	USPAT	2004/09/02 17:27
-	603	(emulat\$4 or simulat\$5) and (host and (((target or embedded) adj2 (processor or controller)) or DSP)) and (optimi\$6 same (code or compil\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 09:04
-	137	(compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 09:57
-	12	(Hwu or Mahlke or Conte or Gillian).in. and profiling and (@ad<=20010928 or @rlad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 09:10
-	21	((emulat\$4 or simulat\$5) and (host and (((target or embedded) adj2 (processor or controller)) or DSP)) and (optimi\$6 same (code or compil\$4))) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 09:10

-	9	((emulat\$4 or simulat\$5) and (host and ((target or embedded) adj2 (processor or controller)) or DSP)) and (optimi\$6 same (code or compil\$4))) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and (@ad<=20010928 or @rlad<=20010928) 6125334.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 11:11
-	2		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 09:46
-	1	6467082.URPN.	USPAT	2004/09/03 09:54
-	16	("5129064" "5167023" "5274811" "5301325" "5339238" "5450575" "5598560" "5797014" "5842017" "5911059" "5958061" "5966537" "5999734" "6006022" "6031992" "6110226").PN.	USPAT	2004/09/03 09:55
-	8	(compil\$4 and optimi\$6) and (("5129064" "5167023" "5274811" "5301325" "5339238" "5450575" "5598560" "5797014" "5842017" "5911059" "5958061" "5966537" "5999734" "6006022" "6031992" "6110226").PN.) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 09:57
-	1	((compil\$4 and optimi\$6) and (("5129064" "5167023" "5274811" "5301325" "5339238" "5450575" "5598560" "5797014" "5842017" "5911059" "5958061" "5966537" "5999734" "6006022" "6031992" "6110226").PN.) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 09:57
-	3	((compil\$4 and optimi\$6) and (("5129064" "5167023" "5274811" "5301325" "5339238" "5450575" "5598560" "5797014" "5842017" "5911059" "5958061" "5966537" "5999734" "6006022" "6031992" "6110226").PN.) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 or profile-guided or (PBO and Hewlett-Packard))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 10:03
-	114	Hyatt.in. and ((integrated adj circuit) or 364/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 10:16
-	4	(Hyatt.in. and ((integrated adj circuit) or 364/\$)) and single-chip	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 11:11

-	3	((Hyatt.in. and ((integrated adj circuit) or 364/\$)) and single-chip) and (emulat\$4 or simulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 10:19
-	145	(single-chip same (emulat\$4 or simulat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 10:19
-	1	((host and (target or embedded)) adj2 (processor or controller)) and ((single-chip same (emulat\$4 or simulat\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 10:52
-	1	((emulat\$3 or target or embedded) and host) near8 ("in one chip" or "in a single chip" or "same PC card" or "same circuit" or "same module")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 11:20
-	25	(cross adj2 compiler) and (host and (embedded or DSP)) and profil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 11:11
-	18	((cross adj2 compiler) and (host and (embedded or DSP)) and profil\$4) and (@ad<=20010928 or @rlad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 11:22
-	16	((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) or (((emulat\$4 or simulat\$5) and (host and ((target or embedded) adj2 (processor or controller)) or DSP)) and (optimi\$6 same (code or compil\$4))) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) or (("5129064" "5167023" "5274811" "5301325" "5339238" "5450575" "5598560" "5797014" "5842017" "5911059" "5958061" "5966537" "5999734" "6006022" "6031992" "6110226").PN.) or (Hyatt.in. and ((integrated adj circuit) or 364/\$)) or ((single-chip same (emulat\$4 or simulat\$4))) or ((cross adj2 compiler) and (host and (embedded or DSP)) and profil\$4)) and (embedded or DSP) and (emulat\$4 or simulat\$4) and (power same profil\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 11:22

-	12	(((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) or ((emulat\$4 or simulat\$5) and (host and ((target or embedded) adj2 (processor or controller)) or DSP)) and (optimi\$6 same (code or compil\$4))) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) or ("5129064" "5167023" "5274811" "5301325" "5339238" "5450575" "5598560" "5797014" "5842017" "5911059" "5958061" "5966537" "5999734" "6006022" "6031992" "6110226").PN.) or (Hyatt.in. and ((integrated adj circuit) or 364/\$)) or ((single-chip same (emulat\$4 or simulat\$4))) or ((cross adj2 compiler) and (host and (embedded or DSP)) and profil\$4)) and (embedded or DSP) and (emulat\$4 or simulat\$4) and (power same profil\$4)) and (@ad<=20010928 or @rlad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 11:49
-	32	((profile and cross) near8 (compil\$5 or optimi\$6)) and ((emulat\$4 or simulat\$4 or host) and (embedded or DSP or target))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 11:49
-	30	(((profile and cross) near8 (compil\$5 or optimi\$6)) and ((emulat\$4 or simulat\$4 or host) and (embedded or DSP or target))) and (@ad<=20010928 or @rlad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 12:22
-	7	(((profile and cross) near8 (compil\$5 or optimi\$6)) and ((emulat\$4 or simulat\$4 or host) and (embedded or DSP or target))) and (@ad<=20010928 or @rlad<=20010928)) and compiler and (717/\$ or 705/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 12:24
-	29	(US-6158049-\$ or US-5933643-\$ or US-6477683-\$ or US-6681387-\$ or US-5815720-\$ or US-6415436-\$ or US-6760888-\$ or US-6643630-\$ or US-6598221-\$ or US-6493868-\$ or US-6125334-\$ or US-6467082-\$ or US-5958061-\$ or US-5574927-\$ or US-5911059-\$ or US-6219796-\$ or US-5557557-\$ or US-6732256-\$).did. or (US-20020032804-\$ or US-20010032332-\$ or US-20020066091-\$ or US-20020144241-\$ or US-20040015931-\$ or US-20020066088-\$ or US-20020147969-\$).did. or (US-6158049-\$ or JP-11149380-\$ or EP-689141-\$ or EP-428084-\$).did.	USPAT; US-PGPUB; DERWENT	2004/09/03 17:09

-	2	((US-6158049-\$ or US-5933643-\$ or US-6477683-\$ or US-6681387-\$ or US-5815720-\$ or US-6415436-\$ or US-6760888-\$ or US-6643630-\$ or US-6598221-\$ or US-6493868-\$ or US-6125334-\$ or US-6467082-\$ or US-5958061-\$ or US-5574927-\$ or US-5911059-\$ or US-6219796-\$ or US-5557557-\$ or US-6732256-\$).did. or (US-20020032804-\$ or US-20010032332-\$ or US-20020066091-\$ or US-20020144241-\$ or US-20040015931-\$ or US-20020066088-\$ or US-20020147969-\$).did. or (US-6158049-\$ or JP-11149380-\$ or EP-689141-\$ or EP-428084-\$).did.) and DSP and RTL and VESTIM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 17:10
---	---	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------	---------------------


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 10 of about 53 for [embedded systems Verification Meerwein PDF](#). (0.50 seconds)

[Embedded systems verification with FPGA-enhanced in-circuit ...](#)

 ... [Embedded systems verification with FPGA-enhanced in-circuit emulator](#). ... Madrid, Spain.

 SESSION: [System level modeling and verification table of contents](#). ...

[portal.acm.org/citation.cfm?id=501821&dl=ACM&coll=GUIDE&CFID=11111111&CFTOKEN=22222222](#) - Supplemental

[Result](#) - [Similar pages](#)

[PDF] [Embedded Systems Verification with FPGA-Enhanced In-Circuit ...](#)

File Format: PDF/Adobe Acrobat

Embedded Systems Verification with FPGA-Enhanced In-Circuit Emulator M. Meerwein,

C. Baumgartner, T. Wieja Robert Bosch GmbH Automotive Equipment Division 8 ...

[portal.acm.org/ft_gateway.cfm?id=501821&type=pdf&coll=portal&dl=ACM&CFID=11111111&CFT...](#)

 Supplemental Result - [Similar pages](#)
[\[More results from portal.acm.org \]](#)

[Embedded Systems Verification with FPGA-Enhanced In-Circuit ...](#)

 p. 143 [Embedded Systems Verification with FPGA-Enhanced In-Circuit Emulator. PDF](#). ...

M. Meerwein, C. Baumgartner, T. Wieja, Robert Bosch GmbH W. Glauert, University ...

[csdl.computer.org/comp/proceedings/iss/2000/0765/00/07650143abs.htm](#) - 10k - [Cached](#) - [Similar pages](#)
[iss/13th International Symposium on System Synthesis \(ISSS'00\)](#)

 ... PDF's require Adobe Acrobat 4.05+ Click Here to ... p. 143 [Embedded Systems Verification](#)

with FPGA-Enhanced In-Circuit Emulator M. Meerwein, C. Baumgartner, T ...

[csdl.computer.org/comp/proceedings/iss/2000/0765/00/0765toc.htm](#) - 101k - [Cached](#) - [Similar pages](#)

[PDF] [Linking Codesign and Reuse in Embedded Systems Design](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 8 72703 Reutlingen, Germany Matthias.Meerwein@de.bosch ... into POLIS, where a first

verification can be ... Search, Design Automation for **Embedded Systems**, Volume 2 ...

[www.sigda.org/Archives/ProceedingArchives/Codes/Codes2000/papers/2000/codes00/pdfiles/05_2.pdf](#) - [Similar pages](#)

[PDF] [A New Reactive Processor with Architectural Support for Control...](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 ... Circuit generation and **verification** of Esterel. ... design methods for concurrent and

 real-time **systems**. ... Linking codesign and reuse in **embedded systems** design. ...

[www.ece.auckland.ac.nz/~roop/visif.pdf](#) - Supplemental Result - [Similar pages](#)

[PDF] [Virtual Synchronization for Fast Distributed Cosimulation of ...](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

... in a virtual prototype", RSP 2000, 2000, Page(s): 14 -19 [6] Meerwein, M.; Baumgartner,

C.; Wieja, T.; Glauert, W., "Embedded systems verification with FPGA ...

[peace.snu.ac.kr/publications/data/73/1747-03-Kim.pdf](#) - [Similar pages](#)

[PDF] [Combined Data-driven and Event-driven Scheduling Technique for...](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

... in a virtual prototype", RSP 2000, 2000, Page(s): 14 -19 [6] M. Meerwein, C.

Baumgartner, T. Wieja, and W. Glauert, "Embedded systems verification with FPGA ...

[peace.snu.ac.kr/publications/data/13/virtual_sync.pdf](#) - [Similar pages](#)

[Hardware-Software Codesign Papers](#)

... 學號, 姓名, 論文題目, 論文檔案 (PDF), 報告日期及時間. ... 688410068, 廖崇榮, M. Meerwein,

 C. Baumgartner ... and Reuse in **Embedded Systems Design**," CODES ...

[www.cs.ccu.edu.tw/~pahsiung/courses/codesign/resources/otherpub.html](#) - 14k - Sep 3, 2004 - [Cached](#) - [Similar pages](#)

IEEE Xplore: System Synthesis, 2000. Proceedings. The 13th ...

... Embedded systems verification with FPGA-enhanced in-circuit emulator Meerwein, M.;

Baumgartner, C.; Wieja, T.; Glauert, W. Page(s): 143-148 [Abstract] [PDF Full ...

ieeexplore.ieee.org/xpl/tocresult.jsp?isNumber=18921&page=1 - 35k - Supplemental Result - Cached - Similar pages

Gooooogle ►

Result Page: 1 2 3 4 **Next**

embedded systems Verification Mee

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google